

In re Application of DEWEY et al.
Serial No. 10/021,392

Listing of the Claims:

1. (currently amended) A computer-implemented method, comprising:
receiving a request directed to locating at least one version of a selected file or folder;
automatically obtaining a set of data corresponding to at least one prior version of that selected file or folder, the set of data enabling the accessibility of the at least one prior version of the selected file or folder that may be maintained such that the prior version's data is accessible; and
returning information corresponding to the set of data accessibility of the at least one version of the file or folder in response to the request wherein selection of the at least one prior version of the file will cause the at least one version of the file to be replaced by the at least one prior version of the file.
2. (original) The method of claim 1 wherein the request is received from a user interface.
3. (original) The method of claim 2 wherein the user interface comprises an operating system shell user interface.
4. (original) The method of claim 1 wherein the request is received via an application programming interface call.

Best Available Copy

In re Application of DEWEY et al.
Serial No. 10/021,392

5. (original) The method of claim 1 wherein automatically obtaining a set of data comprises, requesting a list of one or more timestamps, each timestamp corresponding to a shadow volume.
6. (original) The method of claim 5 wherein the shadow volumes are maintained as differential files.
7. (original) The method of claim 6 wherein the shadow volumes are maintained on at least one remote server.
8. (original) The method of claim 7 wherein communication with the remote server is via a CIFS file access protocol.
9. (original) The method of claim 1 wherein automatically obtaining a set of data comprises, requesting attributes for each prior version of the selected file or folder that may be maintained.
10. (original) The method of claim 1 wherein automatically obtaining a set of data further comprises, filtering any information indicative of a prior version that does not exist.

In re Application of DEWEY et al.
Serial No. 10/021,392

11. (original) The method of claim 1 wherein automatically obtaining a set of data further comprises, filtering information indicative of a prior version that is not unique with respect to a prior version already represented in the set.
12. (original) The method of claim 1 wherein returning information corresponding to the set of data in response to the request comprises returning a set of timestamps corresponding to shadow volumes.
13. (original) The method of claim 12 further comprising, displaying information corresponding to the set to enable user selection of a timestamp-identified shadow volume.
14. (original) The method of claim 1 wherein automatically obtaining a set of data comprises, requesting a list of one or more timestamps, each timestamp corresponding to a shadow volume, and further comprising, embedding a timestamp corresponding to a selected file on a shadow volume in a request to access the selected file or file attributes from that respective shadow volume.
15. (original) The method of claim 1 wherein automatically obtaining a set of data comprises, requesting a list of one or more shadow volume identifiers, and further comprising, embedding an identifier corresponding to a selected file on a shadow volume in a request to access the selected file or file attributes from that respective shadow volume.

In re Application of DEWEY et al.
Serial No. 10/021,392

16. (original) The method of claim 15 wherein the identifier corresponding to the selected file is embedded in the request such that distributed file system server name changes at distributed file system junction points do not affect the identifier.

17. (original) The method of claim 15 wherein the identifier corresponding to the selected file comprises a timestamp.

18. (original) The method of claim 1 wherein automatically obtaining a set of data comprises, requesting a list of one or more timestamps, each timestamp corresponding to a shadow volume, and further comprising, flagging a request to access the selected file or file attributes from that respective shadow volume to indicate that the request corresponds to a shadow volume.

19. (original) The method of claim 1 further comprising, receiving a second request directed to restoring a selected file version in the set, and accessing the selected file version in response to the request.

20. (original) A computer-readable medium having computer-executable instructions for performing the method of claim 1.

21. (currently amended) In a computer network, a system comprising:

In re Application of DEWEY et al.
Serial No. 10/021,392

a local client, the local client having an interface configured to receive a request directed to locating at least one prior version of a selected file;

a network communication mechanism;

a remote file server connected to the local client via the communication mechanism, the remote file server having at least one prior version of the selected file maintained thereon; and

the interface communicating a request for file version information to the remote file server, the remote file server responding to the request by returning a set of data corresponding to the at least one prior version of the selected file maintained thereon, and the interface displaying information corresponding to the at least one prior version of the selected file for at least part of the set of data to enable selection of a file the at least one prior version for restoration from the remote server, such that, when selected, the at least one prior version of the selected file replaces the at least one version of the file.

22. (original) The system of claim 21 wherein the interface communicates the request for file version information to the remote file server via a redirector.

23. (original) The system of claim 21 wherein the interface includes a user interface.

In re Application of DEWEY et al.
Serial No. 10/021,392

24. (original) The system of claim 21 wherein the interface includes an application programming interface.

25. (previously presented) The system of claim 21 wherein the set of data corresponding to the at least one prior versions of the file comprises at least one timestamp.

26. (original) The system of claim 25 wherein each timestamp corresponds to a shadow volume.

27. (original) The system of claim 26 wherein each shadow volume includes a differential file corresponding thereto.

28. (original) The system of claim 26 wherein the interface communicates the request for file version information to the remote file server via a redirector, and wherein the redirector is configured to flag requests seeking information from a shadow volume.

29. (original) The system of claim 21 wherein the remote file server communicates with the local client via a CIFS file access protocol.

30. (original) The system of claim 21 wherein the interface is further configured to communicate with the remote server to obtain file attributes.

In re Application of DEWEY et al.
Serial No. 10/021,392

31. (original) The system of claim 30 wherein the interface is further configured to filter the information that is displayed based on the file attributes.

32. (currently amended) A computer-implemented method, comprising:
receiving a request to locate information corresponding to prior versions of a file or folder;

obtaining a set of at least one timestamp, each timestamp corresponding to a shadow volume that may have a prior version of the file or folder maintained therein;

for each timestamp in the set, requesting file or folder attributes from the corresponding volume;

developing a list based on each response to the request for file or folder attributes, each entry in the list indicative of the accessibility of the file or folder associated with each entry; and

providing prior file or folder version information and accessibility of the prior file or folder versions based on the list in response to the request to locate information, such that the information enables retrieval of a corresponding version of a file or folder in the list, and wherein selection of a prior version of the file replaces the most current version of the file.

33. (original) The method of claim 32 wherein receiving a request to locate information comprises receiving an API call.

In re Application of DEWEY et al.
Serial No. 10/021,392

34. (original) The method of claim 32 wherein obtaining a set of at least one timestamp comprises communicating with at least one remote file server having at least one shadow volume thereon.

35. (original) The method of claim 34 wherein requesting file or folder attributes from the corresponding volume comprises, identifying the shadow volume via its corresponding timestamp in the request.

36. (original) The method of claim 35 wherein identifying the shadow volume via its corresponding timestamp in the request comprises, embedding the timestamp in a path provided to the remote file server.

37. (original) The method of claim 36 wherein the timestamp is embedded in the path such that distributed file system server name changes at distributed file system junction points do not affect the timestamp.

38. (original) The method of claim 36 wherein identifying the shadow volume via its corresponding timestamp in the request further comprises, flagging the request such that the remote file server will detect the embedded timestamp.

39. (original) The method of claim 32 wherein developing a list comprises, determining from the response to the request for file or folder attributes

In re Application of DEWEY et al.
Serial No. 10/021,392

whether the file or folder exists on the shadow volume identified via a timestamp, and if so, including an entry representing the corresponding timestamp in the list

40. (original) The method of claim 32 wherein developing a list comprises, determining from the response to the request for file or folder attributes whether a unique file or folder entry exists in the list, and if not, adding an entry representing the corresponding timestamp to the list.

41. (original) A computer-readable medium having computer-executable instructions for performing the method of claim 32.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.